



## Regular Council Meeting

<b>To:</b>	Mayor and Council
<b>Date:</b>	November 18, 2024
<b>From:</b>	Matt Wilkinson, Planner and Karen Ellis, Director of Planning
<b>Report Number:</b>	PEB 2024-54
<b>Subject:</b>	Telecommunication Structures Procedure Policy

**Recommendation:**

That Council approve By-law No. 2024-58 to repeal the Township Policy for Antenna Systems and adopt Policy No. 2024-04 being a Telecommunication Structures Procedure Policy.

---

**Overview:**

At the November 4, 2024, Regular Council Meeting, Township Council carried motion R-2024-293 to defer By-law No. 2024-58 until the next Regular Council Meeting and requested Staff change the public notification radius to 360 metres and include requirements for signage to be posted on the proponent’s property. Federal guidelines provide the Township the authority to state preferences for the siting, site design, and size of telecommunication structures.

As directed, Staff revised Policy 2024-04 increasing the public notification radius from 240 metres (800 feet) to 360 metres (1200 feet). A requirement and procedure to design and install a public notice sign(s) is also included. The public notice sign requirements can be found in Appendix H of the policy. The placement of the public notice sign meets the requirements of the Township Sign By-law.

As drafted, By-law No. 2024-58 will repeal the Township Policy for Antenna Systems and adopt Policy No. 2024-04 being a Telecommunication Structures Procedure Policy. Report PEB 2024-48, as presented on November 4, 2024, is provided as Attachment No. 1 to this Report. By-law No. 2024-58 is provided as Attachment No. 2 to this Report. The full policy is provided in Schedule ‘A’ to By-law No. 2024-58.

**Attachments:**

- Attachment No. 1: Report PEB 2024-48
- Attachment No. 2: By-law No. 2024-58

Respectfully Submitted by,

Matt Wilkinson  
Planner

Approved by,

Yvette Hurley  
CAO

Respectfully Submitted by,

Karen Ellis  
Director of Planning

**Attachment No. 1 Report PEB 2024-48**

<b>To:</b>	Mayor and Council
<b>Date:</b>	November 4, 2024
<b>From:</b>	Matt Wilkinson, Planner and Karen Ellis, Director of Planning
<b>Report Number:</b>	PEB 2024-48
<b>Subject:</b>	Telecommunication Structures Procedure Policy

**Recommendation:**

That Council approve By-law No. 2024-58 to repeal the Township Policy for Antenna Systems and adopt Policy No. 2024-04 being a Telecommunication Structures Procedure Policy.

---

**Overview:**

The Township Antenna Systems Policy became effective in July of 2018. Since then, Township Council and Staff have used this policy when evaluating applications for federally regulated telecommunication towers and antennas.

A policy review was prompted to address inconsistencies with application submissions, submission review criteria and to provide clarity for policy interpretation. The policy review included a jurisdictional scan of over ten similar sized municipalities.

The purpose of the updated policy is to provide clearer guidance for proponents, Staff and Council when considering proposals regarding telecommunications structures. The updated policy also provides additional opportunity for public engagement.

As drafted, By-law No. 2024-58 will repeal the Township Policy for Antenna Systems and adopt Policy No. 2024-04 being a Telecommunication Structures Procedure Policy. By-law No. 2024-58 is provided as Attachment No. 1 to this Report. The full policy is provided in Schedule 'A' to By-law No. 2024-58.

The policy updates include:

- Doubling the public notification radius for certain applications. The proponent will now be required to provide public notice to property owners within 240 metres or three times the height on the tower.
- Adding the requirement that the proponent shall hold an in-person public information session for certain applications.
- An environmental impact statement is now required for certain applications.

## **Township of Cavan Monaghan Official Plan**

Section 3.21 of the Township Official Plan provides high-level guidance for Township Council and Staff when considering Telecommunication facilities including telecommunication antennas, towers and related structures which are Federally regulated and are not subject to the requirements of the Planning Act.

This policy conforms to the Township Official Plan.

### **Financial Impact**

The policy directs the proponent to pay the Application for Telecommunication Tower Consultation and Review fee as per the Township User Fee Schedule. Currently, the user fee is set at \$2,500.

### **Attachment:**

Attachment No. 1: By-law No. 2024-58

Respectfully Submitted by,

Matt Wilkinson  
Planner

Approved by,

Yvette Hurley  
CAO

Respectfully Submitted by,

Karen Ellis  
Director of Planning

**Attachment No.2 By-law No. 2024-58**

**The Township of Cavan Monaghan**

**By-law No. 2024-58**

**Being a by-law to adopt a Telecommunications Structures Procedure Policy**

**Whereas** pursuant to Section 5(1) of the Municipal Act, S.O., 2001, as amended, the powers of a municipality shall be exercised by its Council.

**And Whereas** pursuant to Section 5(3) of the Municipal Act, S.O., 2001, as amended, a municipal power, including a municipality's capacity, rights, powers, and privileges under section 9, shall be exercised by by-law unless the municipality is specifically authorized to do otherwise;

**Now Therefore** the Council of the Township of Cavan Monaghan hereby enacts as follows:

1. That the Council of the Township of Cavan Monaghan hereby adopts a Telecommunication Structures Procedure Policy, as in Schedule "A", attached hereto and forming part of this By-law.
2. That this By-law shall become in effect the 18<sup>th</sup> day of November, 2024

Read a first, second and third time and passed in open Council this 18<sup>th</sup> day of November, 2024.

---

**Matthew Graham**  
**Mayor**

---

**Cindy Page**  
**Clerk**

**Schedule “A” to By-law No. 2024-58**

 <p align="center">Telecommunication Structures Procedure Policy</p>			
<b>Policy Title:</b>	Telecommunication Structures Procedure Policy	<b>Policy Number:</b>	2024-04
<b>Effective Date:</b>	November 2024	<b>Replaces:</b>	Antenna Systems Policy
<b>Prepared By:</b>	Planning Department	<b>Approved By:</b>	Council

**Policy Statement:**

1. This policy implements the Township of Cavan Monaghan’s Telecommunication Structures Procedure Policy. The purpose of this policy is to provide a procedural framework to guide proponents and the Township for the siting and design of telecommunication structures in a manner that is meant to adhere to federal and local land use requirements and provide opportunity for the public to provide feedback. This procedure applies to all:
  - Township Staff, elected officials, and committees that support or are involved in the facilitation of any process regarding telecommunication structures;
  - Proponents proposing to install a telecommunication structure as defined within this policy;
  - Existing and new support structures within the Township; and,
  - Lands for which the Township is the land use authority.
  
2. Consultation must respect the Federal Government’s exclusive jurisdiction over radiocommunication and broadcasting but does not give a municipality the right to prevent any Antenna System proposal.
  
3. The Township, in its capacity as the local land use authority, has the authority to state preferences for the siting, site design, and size of telecommunication structures.

## **Definitions:**

**“Co-location”** shall mean an installation of a telecommunication structure used by two or more proponents or the installation of multiple telecommunication structures on a support structure by two or more proponents.

**“CPC-2-0-03”** shall mean the Innovation Science and Economic Development (ISED) Canada’s Client Procedures Circular, CPC-2-0-03, Radiocommunication and Broadcasting Antenna Systems, or any subsequent amendments.

**“Designated Official”** shall mean the Director of Planning, or their designate, as delegated by the Council of the Township of Cavan Monaghan.

**“Installation”** shall mean the construction, erection, or modification of a telecommunication structure by a proponent.

**“ISED”** shall mean Innovation, Science and Economic Development Canada, or any of its successor organizations having jurisdiction over telecommunications system approval.

**“Proponent”** shall mean a company, organization or person that is subject to ISED’s CPC-2-0-03.

**“Proposal”** shall mean a suggestion by a proponent to install a telecommunication structure.

**“Site”** shall mean the location or the proposed location of a telecommunication structure.

**“Sensitive Land Use”** shall mean buildings, amenity areas, or outdoor spaces where routine or normal activities occurring at reasonably expected times would experience one or more adverse effects from contaminant discharges generated by a nearby major facility. Sensitive land uses maybe a part of the natural or built environment. Examples may include but are not limited to residences, day care centers, educational and health facilities.

**“Support Structure”** shall mean a structure, including a building or water tower, upon which a telecommunication structure may be installed.

**“Telecommunication Structure”** shall mean an antenna, tower, and/ or equipment shelter installed, or proposed to be installed, by a proponent as part of a federally regulated telecommunication undertaking.

**“Township”** shall mean The Corporation of the Township of Cavan Monaghan also known as the land-use authority (LUA).

### **Exclusions from the Requirement of Public Consultation:**

4. Proposals that meet the exclusion criteria identified in ISED's CPC-2-0-03 or this procedure may be excluded from the requirement of public consultation.
5. Exclusions are identified because, they generally represent the least contentious alternative for installing a telecommunication structure.
6. For telecommunication structures exempted from consultation by ISED, proponents are requested to provide notification to the Township of the installation within a reasonable period of time following such installation, for the Township's records.

### **Township Exclusions from the Requirement of Public Consultation:**

7. In addition to ISED's listed exclusions, set out in Appendix G, the following proposals are excluded from the requirement for public consultation:
  - Proposals to co-locate on an existing telecommunication structure.
  - Proposals to co-locate a telecommunication structure on a support structure.
  - Proposals to construct an additional equipment shelter in conjunction with a co-location.

### **Principles for Site Selection:**

8. Proposals for new telecommunication structures that are designed to serve only a single provider will be discouraged by the Township.
9. In determining an appropriate site for a telecommunication structure, the proponent shall adhere to the following principles:
10. Sites should be selected to minimize the total number of telecommunication structures required in the Township.
11. The construction of a new telecommunication structure is discouraged and should only be considered by the proponent when all other options to accommodate the telecommunication structure have been demonstrated as not being viable.
12. Locations on existing structures or buildings or co-locations on existing telecommunication structures are strongly encouraged.
13. Opportunities to incorporate a telecommunication structure into the design of a new building or structure should be explored by the proponent.
14. New telecommunication structures are strongly encouraged to be more than



120 metres, or three times the tower height, whichever is greater, from any lands zoned to permit residential or sensitive land uses. The distance is to be measured from the base of the tower or the outside perimeter of the supporting structure, whichever is greater.

15. If a new telecommunication structure is to be located within 120 metres of lands zoned to permit residential use or sensitive land uses, a detailed rationale for the necessity of this location must be provided in the Site Selection and Justification Report.

#### **Considerations for Site Selection:**

16. When selecting a site for a new telecommunication structure, subject to engineering and network objectives, proponents are required to demonstrate they have considered:
  - a) Minimizing the overall number of sites required within the Township;
  - b) Utilizing existing support structures;
  - c) Landscaping and setback standards for the zone in which the structure is proposed;
  - d) Maximizing the distance from lands zoned which permit residential uses or sensitive land uses;
  - e) Maximizing the distance from environmentally sensitive lands;
  - f) Maximizing the distance from listed heritage buildings and sites;
  - g) Avoiding sites that would obscure public views and vistas of important natural or cultural significance;
  - h) Avoiding natural hazards;
  - i) Ensuring compatibility with adjacent uses; and
  - j) Access for maintenance purposes.

#### **Design and Landscaping:**

17. The choice and design of structure type will affect the ability of the structure to be used for co-location in the future, proponents are required to apply design techniques that will mitigate the presence of a telecommunication structure to achieve a less obtrusive design. Any reasonable measure to blend the installation with its surroundings should be taken. Mitigation design techniques should be applied to the following features:
  - Structure type (e.g., architectural style).
  - Colour (e.g., neutral or blending colour unless specified by Transport Canada and Navigation Canada).
  - Materials (e.g., non-reflective surfaces).
  - Landscaping (e.g., buffering).
  - Lighting (e.g., design that reduces harm to migratory birds).
  - Fencing (e.g., screening).

**Parking:**

18. One parking space will be provided at each new site with access from a public right-of-way at a location acceptable to the Township. Any parking space provided at a telecommunications structure must not be located within the public highway or road right-of-way. Driveway access is subject to a Township entrance permit to ensure conformity with applicable driveway and entrance by-laws, policies, and design standards.

**Lighting:**

19. All lighting on a telecommunication structure is prohibited unless required by Transport Canada, Navigation Canada, or for the health and safety of the proponents' employees. Lighting will utilize a design that reduces harm to migratory birds (i.e. the use of flashing lights instead of steady burning lights), whenever feasible.
20. The use of dark-sky compliant lighting is required, where appropriate.

**Signage and Other Uses of a Telecommunication Structure:**

21. A telecommunication structure shall only accommodate structures specifically designed for telecommunication purposes. Only identification or information signs or other material directly related to the identification or safe operation of the equipment will be permitted on the telecommunication structure. A small up-to-date plaque must be installed and maintained at the base of the structure (or at the main entrance to the site where the site is not accessible under normal circumstances), identifying the owner/operator of the structure and a contact telephone number. Third party advertising of the proponent or the proponent's services shall not be permitted.
22. Notwithstanding the foregoing, where the signage is the telecommunication structure, it shall be permitted provided the sign complies with the Township of Cavan Monaghan Sign By-law.

**Telecommunication Structures Sited Upon a Support Structure (e.g., Building or Water Tower):**

23. A telecommunication structure sited upon a support structure which shall have a maximum projection beyond the exterior wall of the support structure, will generally not exceed 2.0 metres. Equipment shelters are encouraged to maintain a minimum setback from the roof edge of 3.0 metres and a maximum height of 4.0 metres.

**Preliminary Notification:**

- 24. Preliminary notification shall occur between the proponent and Township Staff for all proposals. The proponent shall provide notification to the Township's Land Use Inquiry Portal.
- 25. The proponent shall provide sufficient information and materials needed to effectively discuss the proposal.

**Submission Requirements:**

- 26. Submission requirements shall be provided following preliminary consultation with Township Planning Staff.
- 27. All proposals are subject to submission requirements. For complete lists of submission requirements, see Appendices A, B, C, D, E, F and H.

**Fees:**

- 28. A fee equal to the Application for Telecommunication Tower Consultation and Review fee in the Township's User Fee and Charges By-law will apply. Other fees and expenses may be applicable.
- 29. If the proposal requires public consultation, the proponent shall be responsible for all costs associated with the public consultation process, which includes public notice and any public information sessions. The Township shall not incur any expense resulting from a proposal.
- 30. The proponent shall pay the fee for a building permit, as required.

**Municipal Notification:**

- 31. All proponents must consult the land-use authority and the public unless a proposal is specifically excluded as per the ISED's CPC-2-0-03 document. Individual circumstances vary with each telecommunication system installation and modification, and the exclusion criteria in Appendix G should be applied in consideration of local circumstances. Consequently, it is prudent for the proponent to consult the municipality even if the proposal meets an exclusion criterion.

Therefore, if the proponent is applying the criteria for exclusion as identified in ISED's CPC-2-0-03, the proponent shall submit the materials listed in Appendix A to the Township within a reasonable period of time following the installation of the structure for Township records.

### **Municipal Consultation:**

32. For proposals that do not meet ISED's or the Township's exclusions criteria, a complete municipal consultation package is required to be submitted to the Township containing all information and materials identified in Appendix B for requests including proposals for new telecommunication structures.

### **Public Consultation:**

33. The public consultation process includes providing public notice and organizing an in-person public information session. A complete public consultation process is required for proposals that require public consultation in accordance with this procedure.
34. For proposals that do not meet the exclusions identified in Appendix G, the process requires the proponent providing public notice (Appendix B), an in-person public information session (Appendix D) and a public notice sign (Appendix H).

### **Public Notice:**

35. The proponent shall submit Public Notice Information Packages to the Township, containing all information and materials identified in Appendix D.
36. Public Notice Information Packages shall:
  - a) Be prepared to the satisfaction of the Township;
  - b) Be addressed and mailed by the Township in Township envelopes;
  - c) Include a covering letter prepared by the proponent to be reviewed by the Township;
  - d) Be mailed by the Township as pre-paid first-class mail at the expense of the proponent;
  - e) Be mailed a minimum of 21 days prior to the date of the public information session;
  - f) Be posted to the Township website;
  - g) Provide a copy of the notice posted in a local newspaper, as directed by the Township. The proponent shall, at their expense, prepare and advertise such notice in accordance with the requirements of ISED's CPC-2-0-03. In areas without a local newspaper, other effective means of public notification must be implemented. Proponents shall contact the local Township office for guidance; and,
  - h) The Township shall mail the Public Notice Information Packages, on behalf of the proponent, to:
    - i. All property owners located within 360 metres or three times the height of the telecommunication structure measured from the base of the structure whichever is greater;
    - ii. Innovation Science and Economic Development (ISED) Canada;

- iii. Township of Cavan Monaghan Mayor and Councillors;
- iv. The Clerk of any adjacent municipality within the greater of 120 metres or three times the height of the telecommunication structure measured from the property line of the proposed site.

**Documentation of Public Comments:**

- 37. Industry Canada's "Client Procedure Circular", CPC-2-0-03, Section 4.2, Default Public Consultation Process - Responding to the Public and Public Reply Comments - details the responses required by the Proponent to the public and the public's reply in kind.
- 38. The Proponent shall document the public consultation process including:
  - a) The names, addresses, phone numbers and E-mail addresses of respondents; and
  - b) The Proponent shall provide a follow-up letter to the Township indicating the Proponent's formal response to the concerns and/ or comments received from the Public on the proposal.

**Public Information Session:**

- 39. At the public information session, the proponent shall provide the materials and information identified in Appendix E.
- 40. The proponent, in consultation with Township Staff shall schedule an appropriate date, time, and location for the public information session which shall be conducted in-person.
- 41. The proponent shall be responsible for organizing and chairing the public information session.
- 42. The proponent shall be responsible for designing and installing a public notice sign as identified in Appendix H.
- 43. Following the public information session, the proponent shall submit a record to the Township that contains the materials identified in Appendix F.

**Confirmation of Local Land Use Authority Consultation:**

- 44. Township Staff will submit a report to Council indicating whether the proponent has complied with the Township's Telecommunication Structures Procedure Policy and request from Council direction concerning whether ISED should be provided with a letter of concurrence or non-concurrence.
- 45. The Township's response to the proponent and ISED will take into consideration

all responses from the municipal consultation process and, when applicable, the public consultation process. The Township will forward comments raised during the public consultation process to ISED.

**Application Process Timeline:**

- a) The Township will endeavour to expedite the local land-use authority consultation within 60 days.
- b) For proposals that require public consultation, a time period of up to 120 days may be required.
- c) In the event of unavoidable delays preventing the completion of the application process within the 120 days period, the Township shall identify such delays to the proponent and indicate when the completion is expected to occur.

**Related Forms:**

Appendix A: Municipal notification requirements for proposals that meet Innovation, Science and Economic Development Canada (ISED) exclusions criteria.

Appendix B: Municipal notification requirements for proposals that do not meet Innovation, Science and Economic Development Canada (ISED) exclusions criteria.

Appendix C: Submission requirements for proposals that require public consultation.

Appendix D: Public Notice requirements.

Appendix E: Public information session requirements.

Appendix F: Requirements following a public information session.

Appendix G: Innovation, Science and Economic Development Canada (ISED) Exclusions.

Appendix H: Township public signage requirements for proposals that require public consultation.

**Appendix A: Municipal notification requirements for proposals that meet Innovation, Science and Economic Development Canada (ISED) exclusions criteria.**

If a proposal meets the exclusions identified by the ISED, the Township requests that the proponent submit the following to the Township within a reasonable period of time following the installation of the structure:

- a) A letter demonstrating compliance with exclusion criteria identified in ISED's CPC-2-0-03.
- b) Supporting drawings.
- c) Engineered stamped drawing if altering existing structure.
- d) Maps illustrating structure location and surrounding land uses.
- e) A site plan.
- f) General Review Commitment Certificate.
- g) Letter of Substantial Completion.

## **Appendix B: Municipal notification requirements for proposals that do not meet Innovation, Science and Economic Development Canada (ISED) exclusions criteria.**

For proposals that do not meet ISED's exclusions, the proponent shall submit to the Township, concurrently with submission requirements in Appendix C and Appendix D when applicable, a complete package containing the following:

- a) A hard copy and a digital version of a Site Selection and Justification Report prepared by a professional engineer or land use planner. In recognition of the sensitive nature of information contained in the Site Selection and Justification Report, Township Staff will, subject to the requirements of this procedure, the Municipal Freedom of Information and Protection of Privacy Act, and other applicable law, maintain confidentiality of information where reasonably requested by the proponent. The report shall include:
- b) The record of pre-consultation meeting with the Township's Designated Official.
- c) A location map and inventory of co-location site options that have been considered.
- d) An evaluation of site alternatives and the rationale for the selection of the preferred option, including a description of why co-location options have not been arranged as directed by ISED.
- e) Confirmation of the need for a new telecommunication structure at the proposed location.
- f) A description of the design elements proposed to minimize the visual impact of the telecommunication structure, considering the Township's preferences identified in this procedure.
- g) A signed agreement stating that the proponent will allow co-location, subject to standard industry financial compensation arrangements to the owner of the telecommunication structure and provided all safety, structural, and technological requirements are met.
- h) One full-size hard copy and a digital version of a site plan drawn to a metric scale showing site grading, location of existing property lines or leased area, existing or proposed buildings, fences, lighting fixtures, parking facilities, existing and proposed landscaping, access, type, height of the proposed telecommunication structure, and any other item as reasonably requested by the Township.
- i) One full-size hard copy and a digital version of scaled elevation drawings.



- j) Agreement to submit a General Review Commitment Certificate prior to construction.
- k) Agreement to submit a Letter of Substantial Completion following construction.
- l) Agreement to submit a Building Permit prior to construction, limited to matters within the Township's jurisdiction.
- m) A map indicating the horizontal distance between the structure and the nearest lands zoned to permit residential uses, sensitive lands uses and the nearest environmentally sensitive lands.
- n) Agreement to submit proof of compliance with Transport Canada and Navigation Canada's regulations prior to construction.
- o) A statement acceptable to the Township, regarding the removal of the telecommunication structure in the event that the structure is no longer being used for a telecommunication purpose.
- p) A Property Identification Number (PIN) printout.
- q) A legal survey of the property identifying the leased area, if any.
- r) Colour photographs with the telecommunication structure superimposed.
- s) An Environmental Impact Statement.
- t) Agreement to submit confirmation of utility locates for ground-mounted structures prior to construction.
- u) All applicable fees and related costs.
- v) Agreement to provide notice in a local newspaper for proposed structures with a height of 30 metres or more. When notice in a local newspaper is required, the proponent shall, at their expense, prepare and advertise such notice in accordance with the requirements of ISED's CPC-2-0-03. The timing of the notice must be synchronized with the distribution of the Public Notice Information Packages. In areas without a local newspaper, other effective means of public notification must be implemented. Proponents shall contact the local Township office for guidance.
- w) The proponent is required to erect and maintain in a structurally sound condition, the required sign (or signs) to inform that an application has been filed for the subject property. 20 days in advance of a public open house, the applicant shall submit written proof indicating that a sign has been erected in accordance with the Township's requirements and agreeing to other obligations regarding sign maintenance and sign removal (see Appendix H for sign specifications).

- x) The proponent's formal response to the concerns and/or comments received from all the public consultation

## **Appendix C: Submission requirements for proposals that require public consultation.**

For proposals that require municipal consultation and public consultation, proponents shall concurrently submit the following materials to the Township:

- a) Public Notice Information Packages, containing the materials and information identified in Appendix D; and,
- b) Municipal Notification requirements as identified in Appendix B of this Procedure.

## **Appendix D: Public Notice requirements.**

Proponents are required to submit Public Notice Information Packages to the Township that comprise the following materials and information:

- a) Date, time, location, and agenda for the public information session.
- b) The purpose of the proposed telecommunication structure, the reasons why an existing telecommunication structure or other infrastructure cannot be used, a list of other telecommunication structures that were considered unsuitable and future co-location possibilities for the proposed telecommunication structure.
- c) The proposed site within the community, the geographic co-ordinates, and the specific property or support structure (e.g. rooftop).
- d) A site plan printed on standard letter-size paper.
- e) Identification of areas accessible to the public and the access/demarcation measures to control public access.
- f) A description of the proposed telecommunication structure including its height and dimensions, type, design, and colour.
- g) Superimposed images of the proposed telecommunication structure at the site.
- h) Transport Canada's and Navigation Canada's aeronautical obstruction marking requirements, if applicable.
- i) The proponent's expectation of Transport Canada's and Navigation Canada's requirements together with an undertaking to provide Transport Canada's requirements once they become available.
- j) An Environmental Impact Statement.
- k) Written confirmation that the installation shall conform with accepted engineering practices including structural adequacy.
- l) Written confirmation containing details of compliance with Health Canada's Safety Code 6.
- m) The name and telephone number of a contact person for the proponent, ISED, and Health Canada.
- n) Reference to compliance with this procedure.
- o) Notice that general information relating to antenna systems is available on

ISED's Spectrum Management and Telecommunications website (<http://strategis.ic.gc.ca/antenna>).

- p) Closing date for submission of written public comments (not less than 20 days from the date of the public information session).

## **Appendix E: Public information requirements**

The Township will advise the proponent of the number of copies of the following materials to be made available for each public information session:

- a) An appropriate visual display, including at a minimum, a display-size (61cm x 92cm) colour photograph of the proposed site/subject property with a superimposed image of the proposed telecommunication structure.
- b) Public Notice Information Packages, as outlined in Appendix D, containing all materials included in the public notice mailing.
- c) Copies of all materials listed under the applicable Appendix B of this procedure. Confidential information contained in the Site Selection and Justification Report may be removed.
- d) A hard copy of Health Canada's Safety Code 6 and other related Health Canada public information materials that discuss Safety Code 6 as it pertains to Telecommunication Structures.

## **Appendix F: Requirements following a public information session.**

Following each public information session, the proponent shall provide the Township with a record that contains the following:

- a) Complete list of attendees, including names, and addresses.
- b) Minutes indicating the topics discussed, concerns, issues raised, resolutions and any outstanding issues.
- c) Copies of letters or other communications received from the public.
- d) A follow-up letter of response provided to the Township within 40 days of the information session outlining:
- e) How the concerns and issues raised at the information session and in any letters received prior to, at, or up to 20 days following the information session will be addressed; or
- f) Clearly setting out the reasons why the raised concerns cannot be addressed.

## **Appendix G: Innovation, Science and Economic Development Canada (ISED) Exclusions**

### **(Excerpt from CPC-2-0-03 - Exclusions)**

For the following types of installations, proponents are excluded from the requirement to consult with the LUA and the public, but must still fulfill the General Requirements outlined in Section 7 of CPC-2-0-03.

- a) New antenna systems: where the height is less than 15 metres above ground level. This exclusion does not apply to antenna systems proposed by telecommunications carriers, broadcasting undertakings or third party tower owners.
- b) Existing antenna systems: where modifications are made, antennas added or the tower replaced, including to facilitate sharing, provided that the total cumulative height increase is no greater than 25% of the height of the initial antenna system installation.
- c) Non-tower structures: including antennas on buildings, water towers, lamp posts, etc. These may be excluded from consultation provided that the height above ground of the non-tower structure, exclusive of appurtenances, is not increased by more than 25%.
- d) Temporary antenna systems: used for special events or emergency operations. Temporary antenna systems must be removed within three months after the start of the emergency or special event.
- e) No consultation is required prior to performing maintenance on an existing antenna system.
- f) Individual circumstances vary with each antenna system installation and modification, and the exclusion criteria above should be applied in consideration of local circumstances. Consequently, it may be prudent for the proponents to consult the LUA and the public even though the proposal meets an exclusion noted above. Therefore, when applying the criteria for exclusion, proponents should consider such things as:
  - g) The antenna system's physical dimensions, including the antenna, mast, and tower, compared to the local surroundings;
  - h) The location of the proposed antenna system on the property and its proximity to neighbouring residents;
  - i) The likelihood of an area being a community or in a sensitive land use
  - j) Transport Canada marking and lighting requirements for the proposed structure.



- k) Proponents who are not certain if their proposed structure is excluded, or whether consultation may still be prudent, are advised to contact the land-use authority and/or ISED for guidance.

## **Appendix H: Township public notice sign requirements for proposals that require public consultation.**

The proponent is required to create, erect and maintain a public notice sign in structurally sound condition.

Before installing the sign, the applicant shall contact the Township designate to confirm the design, wording and location of the public notice sign.

20 days in advance of a public open house the applicant shall submit written proof indicating that a sign has been erected in accordance with the Township's requirements and agreeing to other obligations regarding sign maintenance and sign removal.

All aspects of the preparation and installation of the public notice sign shall be done in a professional manner. Basic details required to be included on the public notice sign as listed below and subject to the approval of the Township designate.

### **Wording:**

The basic wording details on the attached example must be adhered to, including:

- proposal details (type of structure, height, location, etc.);
- an image of the tower superimposed on the landscape;
- identification of the proponent;
- public open house information; and
- a note identifying a method to contact the proponent for more information.

### **Size and Height:**

- Size: 1.93 metres (6 feet) wide by 1.22 metres (4 feet) high.
- Ground clearance: The sign shall be mounted so the text is at a height between 1.2 and 1.5 metres above the ground.

### **Sign Supports:**

- The sign supports must be able to sustain the weight of the application sign for a considerable period of time and through various climatic conditions (i.e. heavy winds) so as to ensure that the sign does not fall over as approved by Township designate.

### **Materials:**

- 2 cm (3/4") exterior grade plywood panel; or
- 10-12 mm (1/2') corrugated plastic; or as approved by Township designate.

**Paint:**

- If painted, the sign panels and all structural members shall be painted on all sides and edges with two coats of white exterior type matte finish alkyd paint over a suitable primer, or as approved by Township designate.


**Lettering:**

- The sign is to be professionally lettered or silk-screened with dark blue or black lettering on a white background. Typefaces to be Arial and in upper and lower case.
- The sign is to be “glare free’ with a high colour contrast.

**Location:**

- One sign shall be erected along each street frontage of the property so as to be clearly visible from the highway or other place to which the public has access.
- The location of the public notice sign shall be confirmed by the Township designate.

**Example Public Notice Sign:**

	File No. 2024-XX:	<b>Notice</b>
	<p><b>A new telecommunication tower is proposed for this property.</b></p> <p><b>The Tower will be <u>XX metres</u> (<u>XXX feet</u>) tall and approximately <u>XXX metres</u> (<u>direction</u>) of (<u>Street St.</u>).</b></p>	
Proposed Site Location: XXX Monaghan Line		
<p><b>A Public Open House will be at the (location) (Month XX, 20XX) (Time).</b></p>	<p><b>For more information contact:</b> <b>Name of Contact, Job Title</b> <b>Email@email.com</b> <b>Phone (XXX) XXX-XXXX</b></p>	